



# DRYING & STORAGE RACKS



2



4321 N. Knox Ave., Chicago IL, 60641



773.777.7100



[sales@dryingandstorageracks.com](mailto:sales@dryingandstorageracks.com)



[www.dryingandstorageracks.com](http://www.dryingandstorageracks.com)



A Division of the AWT World Trade Group

©2025 AWT World Trade, Inc. No part of this literature may be reproduced without written permission. Specifications are subject to change without notice. #LIT-1114 3/14/25

# TABLE OF CONTENTS

|                                    |    |
|------------------------------------|----|
| <b>SPECIALTY MODELS</b> .....      | 4  |
| DR-18 Series .....                 | 4  |
| Versa-Rack™ .....                  | 5  |
| Stack-Rack™ .....                  | 5  |
| <b>MID-RANGE MODELS</b> .....      | 6  |
| DR-24-40A - DR-26-50.....          | 6  |
| Tensor™ Series.....                | 8  |
| <b>HEAVY-DUTY MODELS</b> .....     | 10 |
| DR-32-40 - DR-80-50 .....          | 10 |
| 2" Spacing.....                    | 11 |
| Heat-Resistant Upgrade Kits .....  | 12 |
| <b>ROLLING STORAGE CARTS</b> ..... | 14 |
| Frame-Mate™ .....                  | 14 |
| Rollin' Screen Racker™ .....       | 16 |
| <b>DRYING CABINETS</b> .....       | 18 |
| Dry-It™ .....                      | 18 |
| <b>RACK DIMENSTIONS</b> .....      | 20 |
| <b>SPECIFICATIONS</b> .....        | 22 |



# STORAGE SIMPLIFIED

Our economical specialty drying racks accommodate small, lightweight materials without the bells and whistles of our heavy-duty drying and storage solutions. Unlike standard racks, these feature a rigid construction that simplifies the process of putting projects up to dry.

These simple shelves feature high-quality, powder coated, welded steel.

## DR-18 SERIES


- » Double-sided tabletop model maximizes storage while minimizing height.
- » Door hanger
- » Swivel casters
- » Tabletop, door mount, and floor models available

4




### DR-18-30WD

Over-the-top door hanger mounts instantly without drilling



### DR-18-50

Perfect for tabletops or where space is limited




### DR-18-100


Swivel casters allow portability and easy positioning

# VERSA-RACK™

- » Fewer shelves for smaller storage needs
- » Stabilizing design prevents materials from slipping off the rack
- » Designed for both horizontal and vertical placement




DR-16-13




DR-16-25

# STACK-RACK™


- » Versatile, modular combination options
- » Combine racks in groups of two or four as your storage needs grow
- » Each corner is reinforced by a thicker gauge wire providing extra stability, preventing materials from slipping off the rack



DR-18-25

Shown with optional  
caster kit

# MID-RANGE



## STORAGE ELEVATED

The Mid-range Rack-It™ Series storage racks are a ideal blend of economy and design. They provide maximum storage capacity with a compact build, allowing you to capitalize on every inch of your working environment. This mid-range series utilizes the same innovative design principles as the heavy-duty line, but optimized for lighter loads.

- » Powder coated, welded steel construction
- » Positive tension keeps shelves lifted
- » Rubber spacing bumpers
- » Open-ended design allows for oversized objects
- » Thick gauge wire provides strength and stability
- » 6x6" mesh opening on shelves

6

## OPTIONS & ACCESSORIES

- Extra rubber bumpers
- Rack assembly



**DR-24-50**

**MESH OPENINGS**

6.00 x 6.00"  
(15 x 15cm)

**RUBBER SPACERS**

1.00" (2.5cm) rubber spacers provide consistent shelf spacing for increased airflow


**SHELVES**

Powder coated for increased longevity

**CASTERS**

Casters provide easy shop mobility

**DR-24-80**




Featuring a new double frame design for greater storage capacity, our Mid-Range DR-24-80 includes features such as lightweight shelves that snap into place quickly and easily; rubber bumpers that maintain the proper shelf spacing, while all steel-construction provides a super sturdy frame. Its unique design allows narrow and rigid products, such as fiberboard, cardboard or plastic to extend beyond shelf size. This helps the units to be used as large screen print storage racks, rolling screen racks, or mobile poster racks.

MID-RANGE

# TENSOR™ SERIES

**MR1824**  
18.00 x 24.00"  
(46cm x 70cm) shelf size



8



Saturn's newly re-engineered Tensor™ Series combines both economy and mobility, which is perfect for commercial, educational, and institutional applications. The Tensor Series features deep trays and solid steel construction and two rubber shelf bumpers to allow sufficient space for airflow between the shelves. The rubber bumpers hold more weight and larger sheets, while also maintaining stability and proper shelf spacing.

- » **18.00 x 24.00" (46 x 70cm) and 20.00 x 26.00" (50 x 66cm) shelves easily hold card stock, posters, signs and frames**
- » **Two rubber spacers increase stability, support extra weight and can hold longer substrates**
- » **Fast and easy assembly**




#### SHELVES

*Shelves hold card stock, posters, signs and frames*

#### CONVENIENCE

*Positive tension easily holds trays up*



#### RUBBER SPACERS

*Two Rubber spacers hold extra weight*


#### MR1824D



Tensor™ Series drying and storage racks feature a positive locking mechanism, called Original TrayLock, which holds the shelf firmly in place after it is lifted to adjust or move substrates. With four casters for easy mobility, the Tensor™ Series is invaluable in organizing production under the most restrictive shop or classroom configurations.

The double-sided configuration (as seen in the MR1824D), provides twice the drying and storage area.

# HEAVY-DUTY




The ultimate industrial drying and storage rack, our heavy-duty Rack-It™ Series line is designed to provide easy and sturdy storage. Decades of product refinement and industry expertise have culminated in this elevated rack. Every element of the heavy-duty shelves makes loading and unloading materials a breeze.

- » Welded steel construction does not warp and provides adequate strength to heavy materials like metal or frames
- » Powder coated
- » Steel bumpers
- » Adjustable shelf tension lift
- » 1.00" (2.5cm) spacing between shelves available

10


## OPTIONS & ACCESSORIES

- Extra bumpers for additional shelf support
- Extra center brace on smaller models
- Spring safety covers
- Rack assembly



### SAFETY

Optional safety sleeve for springs



### STABILITY


Center brace and additional bumper support is standard with largest two models

**DR-32-50**  
1.00" (2.5cm)  
Shelf Spacing




**SECURE**

*Ideally placed supports prevent substrates from falling from the rear*



**SPRINGS**  
*Individual spring tension*




**STEEL BUMPERS**

*Outside bumper position maximizes shelf space*

**PRO-TIP: Looking for the flexibility of 2.00" (5cm) shelf spacing?**

You can still achieve that 2-inch gap with a simple DIY approach! By using a wire cutter to carefully remove the inside of every other shelf, you can easily customize your rack to meet your specific needs. It's a quick, effective solution that gives you the best of both worlds—proven durability and the flexibility of wider spacing.



HEAT RESISTANT

# HEAT RESISTANT UPGRADE KITS

12



## SPRINGS

All springs endure  
temperatures up to  
500°F (260°C)



## CASTERS

All steel casters  
endure temperatures  
up to 500°F (260°C)

For enhanced heat resistance without a full rack upgrade, our new Rack-It™ Heat-Resistant Hardware Kits are the perfect solution. Featuring heat-resistant, stainless-steel springs and casters, these kits are designed to withstand up to 500°F (260°C), offering the same durability and performance in high-heat environments. Our racks, with their all-steel construction and rust-resistant, powder-coated shelves, are built to last. Plus, the non-warping shelves help speed up evaporation, keeping your production running smoothly for years to come. It's a simple way to upgrade your setup without replacing the entire rack!

» **Rated for up to 500°F (260°C)**

» **Especially suited for industrial drying, curing, or baking**



# STORAGE SECURED

Rolling storage carts are ideal for post-curing storage of POP displays and other rigid substrates, increasing efficiency in your workshop. These rolling storage carts are also an excellent choice for use as a screen printing frame drying rack, rolling poster rack, or as storage carts for large and heavy stock.




## FRAME-MATE™

Store frames in a mobile, easily-accessible cart crafted to accommodate a large range of frame sizes. Compact, sturdy construction means your shop will always have quick access to the frames in use while they are kept safe within the welded steel slots. Triangular slot design provides extra cart stability and prevents objects from tipping.


- » Open vertical wire dividers increase visibility
- » Store and move frames, pallets, or any rigid substrate
- » All-steel construction provide years of reliable service
- » Rust-resistant finish
- » Used with wood, aluminum, or roller frames
- » Recessed lip allows oversized storage up to 50.00 x 60.00" (127 x 152cm) OD
- » Frees-up floor space and improves setup times



RF-5060



**SHELVES**  
Outside "lip" maximizes  
usable shelf space



**DURABILITY**  
All-steel construction



**STORAGE**  
Stores wood, aluminum,  
and any rigid material  
up to 2.00" (5cm) thick

ROLLING STORAGE  
CARTS

# ROLLIN' SCREEN RACKER™



RSR-31



*Shown with  
optional  
frames*

16



ROLLING STORAGE  
CARTS




[www.dryingandstorageracks.com](http://www.dryingandstorageracks.com)

For delicate materials Saturn has an innovative drying and storage solution: Take out the shelves! This rack consists of brackets which securely hold frames or rigid parts and materials in place while they dry, providing you with the peace of mind that your projects will look exactly the same when you take them out as when you put them in.

- » Easily move multiple items from place to place
- » Units allow adjustable width
- » Welded steel construction
- » Non-scratching acrylic brackets provide an open-air drying solution for delicate materials.

## OPTIONS

- Rack assembly



DC-3038



# DRY-IT™

To elevate your print shop to the next level, use the Dry-It™ Screen Drying Cabinet. Designed for the highest-quality printing specifications, the well-insulated, fully-enclosed drying cabinet prevents pinholes and other flaws from occurring. Filtered heated airflow reduces drying time and increases productivity.

# DRYING CABINETS

- » Horizontal and vertical configurations available
- » Allows up to 10 shelves
- » Easy access to air filters
- » Digital temperature control
- » Standard temperature of up to 120°F (49°C)
- » Heavy-duty casters for mobility

## OPTIONS

- Stainless steel lining prevents rust and oxidation
- Double-sided brackets for smaller frames available for horizontal models
- Perforated shelf trays for smaller frames available for horizontal model
- High temperature models available

### EFFECTIVE

Fully insulated chamber

DC-5259V




### SHELVES

Maximum part width  
2.50" (6cm)

# RACK DIMENSIONS

20



To make sure you select a rack that fits your needs as well as the physical space you have to work with, we've compiled a list of dimensions for your convenience.

When looking at the diagram above, you will notice three different measurements: H1, H2, and H3.

H1: The unit's height with all shelves in their horizontal position, if applicable.

H2: Represents the maximum working height of the unit when the top shelf is raised completely


H3: The height of the stop bracket used to keep the shelf from traveling too far on our heavy duty industrial models. On mid-range and lightweight racks (DR-16-8 through DR-80-50), this measurement coincides with the angle of shelf elevation in its maximum safe position.

If you are unsure about which rack is best for your particular application, contact AWT and we'll be glad to assist you with your selection process.

## AWT DRYING &amp; STORAGE RACK DIMENSIONS

| CATALOG NO.  | LENGTH          | WIDTH                | HEIGHT         |                |                |
|--------------|-----------------|----------------------|----------------|----------------|----------------|
|              |                 |                      | H1             | H2             | H3             |
| DR-16-13     | 21.00" (53cm)   | 11.25" (53cm)        | 43.25" (110cm) | N/A            | N/A            |
| DR-16-25     | 17.25" (44cm)   | 17.50" (44cm)        | 30.75" (78cm)  | N/A            | N/A            |
| DR-18-25     | 19.25" (49cm)   | 12.00" (30cm)        | 28.25" (72cm)  | N/A            | N/A            |
| DR-18-30     | 19.50" (49cm)   | 17.25" (44cm)        | 36.25" (92cm)  | N/A            | N/A            |
| DR-18-30WD   | 19.25" (49cm)   | 17.25" (44cm)        | 39.75" (101cm) | N/A            | N/A            |
| DR-18-50     | 19.00" (46cm)   | 22.25" (57cm)        | 30.75" (78cm)  | N/A            | N/A            |
| DR-18-100    | 19.00" (48cm)   | 22.00" (56cm)        | 63.00" (160cm) | N/A            | N/A            |
| DR-24-40A    | 25.00" (64cm)   | 23.75" (60cm)        | 44.25" (112cm) | 53.00" (135cm) | N/A            |
| DR-24-50     | 25.00" (64cm)   | 23.50" (60cm)        | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| DR-24-80     | 25.00" (64cm)   | 39.50" (100cm)       | 44.00" (112cm) | 53.00" (135cm) | N/A            |
| DR-24-100    | 25.00" (64cm)   | 39.50" (100cm)       | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| DR-26-40     | 27.00" (69cm)   | 26.25" (66cm)        | 44.25" (112cm) | 53.00" (135cm) | N/A            |
| DR-26-50     | 27.00" (69cm)   | 26.25" (66cm)        | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| DR-26-80     | 27.00" (69cm)   | 44.75" (113cm)       | 44.00" (112cm) | 53.00" (135cm) | N/A            |
| DR-26-100    | 27.00" (69cm)   | 44.75" (113cm)       | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| MR1824       | 25.00" (64cm)   | 23.50" (60cm)        | 44.00" (112cm) | 53.00" (135cm) | N/A            |
| MR182450     | 25.00" (64cm)   | 23.50" (60cm)        | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| MR1824D      | 39.50" (100cm)  | 25.00" (64cm)        | 44.00" (112cm) | 53.00" (135cm) | N/A            |
| MR1824100D   | 39.50" (100cm)  | 25.00" (64cm)        | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| MR2026       | 27.00" (69cm)   | 26.50" (67cm)        | 44.25" (112cm) | 53.00" (135cm) | N/A            |
| MR202650     | 27.00" (69cm)   | 26.50" (67cm)        | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| MR2026D      | 44.75" (113cm)  | 27.00" (69cm)        | 44.00" (112cm) | 53.00" (135cm) | N/A            |
| MR2026100D   | 45.00" (114cm)  | 27.00" (69cm)        | 54.25" (137cm) | 63.00" (160cm) | N/A            |
| DR-32-40     | 35.25" (90cm)   | 28.50" (72cm)        | 48.75" (124cm) | 66.75" (169cm) | 59.75" (151cm) |
| DR-32-50     | 35.25" (90cm)   | 28.50" (72cm)        | 60.25" (153cm) | 78.50" (199cm) | 70.50" (179cm) |
| DR-36-40     | 38.50" (98cm)   | 32.50" (83cm)        | 48.75" (123cm) | 71.00" (180cm) | 59.50" (151cm) |
| DR-36-50     | 38.50" (98cm)   | 32.50" (83cm)        | 60.00" (152cm) | 81.50" (207cm) | 71.00" (180cm) |
| DR-46-40     | 49.75" (124cm)  | 36.00" (91cm)        | 49.00" (124cm) | 72.50" (184cm) | 59.75" (151cm) |
| DR-48-40     | 51.50" (123cm)  | 37.00" (94cm)        | 49.00" (124cm) | 73.75" (187cm) | 59.75" (151cm) |
| DR-48-50     | 51.50" (123cm)  | 37.00" (94cm)        | 60.00" (152cm) | 85.25" (216cm) | 71.00" (180cm) |
| DR-50-50     | 53.50" (136cm)  | 43.50" (111cm)       | 60.00" (152cm) | 89.50" (227cm) | 71.00" (180cm) |
| DR-55-50     | 58.25" (148cm)  | 48.00" (122cm)       | 59.75" (152cm) | 93.00" (236cm) | 71.00" (180cm) |
| DR-68-50     | 71.00" (185cm)  | 56.00" (142cm)       | 60.25" (153cm) | 93.50" (237cm) | 72.75" (185cm) |
| DR-80-50     | 83.25" (211cm)  | 58.50" (148cm)       | 60.25" (153cm) | 98.25" (249cm) | 72.75" (185cm) |
| RF-5060      | 49.00" (125cm)  | 30.25" (77cm)        | 42.50" (108cm) | NA             | NA             |
| RSR-31       | 31.00" (79cm)   | 14.50" (37cm)        | 61.50" (156cm) | N/A            | N/A            |
| RSR-40       | 40.00" (102cm)  | Refer to Spec. Chart | 74.50" (189cm) | N/A            | N/A            |
| DC-3038      | 48.00" (122cm)  | 38.50" (98cm)        | 46.00" (117cm) | NA             | NA             |
| DC-3038-220  | 48.00" (122cm)  | 38.50" (98cm)        | 46.00" (117cm) | N/A            | N/A            |
| DC-5259-220  | 74.25" (189cm)  | 50.25" (128cm)       | 64.50" (164cm) | N/A            | N/A            |
| DC-5473-220  | 90.00" (228cm)  | 72.25" (184cm)       | 45.50" (116cm) | N/A            | N/A            |
| DC-7686-220  | 102.50" (260cm) | 97.50" (248cm)       | 46.00" (117cm) | N/A            | N/A            |
| DC-7698-220  | 114.50" (291cm) | 97.50" (248cm)       | 46.00" (117cm) | N/A            | N/A            |
| DC-5259V-220 | 74.25" (188cm)  | 50.25" (128cm)       | 64.50" (164cm) | N/A            | N/A            |

# SPECIFICATIONS



## DR-18 SERIES

| CATALOG NO. | DESCRIPTION                            | LENGTH        | WIDTH         | SHELF SIZES                | NO. OF SHELVES | MESH OPENINGS             |
|-------------|--|---------------|---------------|----------------------------|----------------|---------------------------|
| DR-18-30    | Tabletop, single-sided                 | 19.25" (49cm) | 17.25" (43cm) | 12.50 x 18.00" (32 x 46cm) | 30             | 6.00 x 10.00" (15 x 25cm) |
| DR-18-30WD  | Door hanging                           | 19.25" (49cm) | 17.25" (43cm) | 12.50 x 18.00" (32 x 46cm) | 30             | 6.00 x 10.00" (15x 25cm)  |
| DR-18-50    | Tabletop, double-sided                 | 19.00" (48cm) | 22.25" (57cm) | 11.00 x 18.00" (28 x 46cm) | 50             | 6.00 x 10.00" (15 x 25cm) |
| DR-18-100   | Floor model,<br>Double sided, Portable | 19.00" (48cm) | 22.25" (57cm) | 10.00 x 18.00" (30 X 46cm) | 100            | 6.00 x 10.00" (15 x 25cm) |

## VERSA-RACK™ \*

| CATALOG NO. | DESCRIPTION                                      | LENGTH        | WIDTH         | SHELF SIZES                | NO. OF SHELVES | MESH OPENINGS             |
|-------------|--|---------------|---------------|----------------------------|----------------|---------------------------|
| DR-16-13    | Single-sided, vertical or horizontal with wheels | 21.00" (53cm) | 11.25" (53cm) | 7.50 x 19.00" (19 x 48cm)  | 13             | N/A                       |
| DR-16-25    | Tabletop, single-sided                           | 17.25" (44cm) | 17.50" (44cm) | 12.50 x 16.00" (32 x 41cm) | 25             | 4.50 x 12.25" (11 x 31cm) |

\* All racks ship assembled via ground

22

## STACK-RACK™ \*

| CATALOG NO. | DESCRIPTION                              | LENGTH        | WIDTH         | SHELF SIZES                | NO. OF SHELVES | MESH OPENINGS            |
|-------------|--|---------------|---------------|----------------------------|----------------|--------------------------|
| DR-18-25    | Lightweight, modular drying-storage rack | 19.25" (49cm) | 12.00" (30cm) | 12.00 x 18.50" (31 x 47cm) | 25             | 6.00 x 5.75" (15 x 14cm) |

\* Racks may accommodate larger objects, depending on size, shape and weight

## STACK-RACK™ HARDWARE KIT (sold separately) \*

| CATALOG NO. | DESCRIPTION               | COMPONENTS                             |
|-------------|---------------------------|--|
| RCA-1825    | Hardware kit with casters | 4 Casters, 4 Nuts, 4 Bolts, 3 wrenches |

**MID-RANGE\***

| CATALOG NO.      | LENGTH         | WIDTH         | SHELF SIZES                | NO. OF SHELVES | MAX. SUBSTRATE SIZES       |
|------------------|----------------|---------------|----------------------------|----------------|----------------------------|
| <b>DR-24-40A</b> | 25.00" (64cm)  | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm)  | 40             | 17.50 x 23.50" (45 x 60cm) |
| <b>DR-24-50</b>  | 25.00" (64cm)  | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm)  | 50             | 17.50 x 23.50" (45 x 60cm) |
| <b>DR-24-80</b>  | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm)  | 80             | 17.50 x 23.50" (45 x 60cm) |
| <b>DR-24-100</b> | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm)  | 50             | 17.50 x 23.50" (45 x 60cm) |
| <b>DR-26-40</b>  | 27.00" (69cm)  | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 40             | 19.50 x 25.50" (50 x 65cm) |
| <b>DR-26-50</b>  | 27.00" (69cm)  | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 50             | 19.50 x 25.50" (50 x 65cm) |
| <b>DR-26-80</b>  | 44.75" (113cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 80             | 19.50 x 25.50" (50 x 65cm) |
| <b>DR-26-100</b> | 45.00" (114cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 100            | 19.50 x 25.50" (50 x 65cm) |

\* All racks under 150 lbs. ship ground

**TENSOR™ SERIES\*†**

| CATALOG NO.       | LENGTH         | WIDTH         | SHELF SIZE                 | NO. OF SHELVES | MAX. SUBSTRATE SIZES       |
|-------------------|----------------|---------------|----------------------------|----------------|----------------------------|
| <b>MR1824</b>     | 25.00" (64cm)  | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm)  | 40             | 17.50 x 23.50" (45 x 60cm) |
| <b>MR182450</b>   | 25.00" (64cm)  | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm)  | 50             | 17.50 x 23.50" (45 x 60cm) |
| <b>MR1824D</b>    | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm)  | 80             | 17.50 x 23.50" (45 x 60cm) |
| <b>MR1824100D</b> | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm)  | 50             | 17.50 x 23.50" (45 x 60cm) |
| <b>MR2026</b>     | 27.00" (69cm)  | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 40             | 19.50 x 25.50" (50 x 65cm) |
| <b>MR202650</b>   | 27.00" (69cm)  | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 50             | 19.50 x 25.50" (50 x 65cm) |
| <b>MR2026D</b>    | 44.75" (113cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 80             | 19.50 x 25.50" (50 x 65cm) |
| <b>MR2026100D</b> | 45.00" (114cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 100            | 19.50 x 25.50" (50 x 65cm) |

\* All racks under 150 lbs. ship ground

† Tensor Series comes with two rubber bumpers per shelf

## HEAVY-DUTY 1.00" (2.5CM) SPACING

| CATALOG NO.                     | LENGTH         | WIDTH          | SHELF SIZES                  | NO. OF SHELVES | MESH OPENINGS             |
|---------------------------------|----------------|----------------|------------------------------|----------------|---------------------------|
| DR-32-40                        | 35.25" (90cm)  | 28.50" (72cm)  | 22.00 x 32.00" (57 x 81cm)   | 40             | 4.50 x 4.50" (11 x 11cm)  |
| DR-32-50                        | 35.25" (90cm)  | 28.50" (72cm)  | 22.00 x 32.00" (57 x 81cm)   | 50             | 4.50 x 4.50" (11 x 11cm)  |
| DR-36-40                        | 38.50" (98cm)  | 32.50" (83cm)  | 26.00 x 36.00" (67 x 90cm)   | 40             | 4.50 x 4.50" (11 x 11cm)  |
| DR-36-50                        | 38.50" (98cm)  | 32.50" (83cm)  | 26.00 x 36.00" (67 x 90cm)   | 50             | 4.50 x 4.50" (11 x 11cm)  |
| DR-48-40                        | 51.50" (130cm) | 37.00" (94cm)  | 31.00 x 48.00" (79 x 123cm)  | 40             | 4.50 x 4.50" (11 x 11cm)  |
| DR-48-50                        | 51.50" (130cm) | 37.00" (94cm)  | 31.00 x 48.00" (79 x 123cm)  | 50             | 4.50 x 4.50" (11 x 11cm)  |
| DR-50-50                        | 53.50" (136cm) | 43.50" (110cm) | 37.00 x 50.00" (95 x 128cm)  | 50             | 4.50 x 5.00" (11 x 12cm)  |
| DR-55-50                        | 48.00" (123cm) | 58.25" (148cm) | 42.00 x 55.00" (107 x 141cm) | 50             | 4.50 x 5.00" (11 x 12cm)  |
| DR-68-50                        | 71.00" (180cm) | 56.00" (142cm) | 45.00 x 68.00" (116 x 173cm) | 50             | 4.50 x 5.00" (11 x 12cm)  |
| DR-80-50                        | 83.25" (211cm) | 58.50" (148cm) | 52.00 x 80.00" (132 x 203cm) | 50             | 4.75 x 5.00" (12 x 12cm)  |
| <b>LIGHTWEIGHT APPLICATIONS</b> |                |                |                              |                |                           |
| DR-46-40                        | 48.75" (124cm) | 36.00 (91cm)   | 30.00 x 46.00" (76 x 117cm)  | 40             | 7.50 x 10.00" (19 x 26cm) |

24

## HEAT-RESISTANT UPGRADE KITS

| CATALOG NO. | DESCRIPTION  | NO. OF CASTERS | NO. OF SPRINGS |
|-------------|--|----------------|----------------|
| DR-HR-40    | Heat resistant upgrade for DR-32 - DR-48 drying rack with 40 shelves | 4              | 80             |
| DR-HR-50    | Heat resistant upgrade for DR-32 - DR-48 drying rack with 50 shelves | 4              | 100            |

**FRAME-MATE™**

| CATALOG NO. | LENGTH         | WIDTH         | NO. OF SLOTS | SPACE BETWEEN SLOTS |
|-------------|----------------|---------------|--------------|---------------------|
| RF-5060     | 49.00" (125cm) | 30.25" (77cm) | 12           | 2.25" (6cm)         |

**ROLLIN' SCREEN RACKER™**

| CATALOG NO. | DESCRIPTION   | LENGTH         | MIN. WIDTH    | MAX WIDTH      | NO. OF SHELVES |
|-------------|---|----------------|---------------|----------------|----------------|
| RSR-31      | Horizontal screen frame storage rack with <i>acrylic</i> shelf brackets | 31.00" (79cm)  | 14.50" (37cm) | 45.50" (116cm) | 20             |
| RSR-40      | Horizontal screen frame storage rack with <i>acrylic</i> shelf brackets | 40.00" (102cm) | 14.50" (37cm) | 45.50" (116cm) | 25             |

**DRY-IT™ HORIZONTAL**

| CATALOG NO. | LENGTH          | WIDTH          | NUMBER OF DOORS | MAXIMUM FRAME O.D.           | ELECTRICAL         |
|-------------|-----------------|----------------|-----------------|------------------------------|--------------------|
| DC-3038     | 48.00" (122cm)  | 38.50" (98cm)  | Single Door     | 30.00 x 38.00" (76 x 97cm)   | 115V, 1Ph, 60Hz    |
| DC-3038-220 | 48.00" (122cm)  | 38.50" (98cm)  | Single Door     | 30.00 x 38.00" (76 x 97cm)   | 220V, 1Ph, 50/60Hz |
| DC-5259-220 | 74.25" (189cm)  | 50.25" (128cm) | Double Door     | 52.00 x 59.00" (132 x 150cm) | 220V, 1Ph, 50/60Hz |
| DC-5473-220 | 90.00" (228cm)  | 72.25" (184cm) | Double Door     | 54.00 x 73.00" (137 x 186cm) | 220V, 1Ph, 50/60Hz |
| DC-7698-220 | 114.50" (291cm) | 97.50" (248cm) | Double Door     | 76.00 x 98.00" (193 x 249cm) | 220V, 1Ph, 50/60Hz |

25

**DRY-IT™ VERTICAL**

| CATALOG NO.  | LENGTH         | WIDTH          | NUMBER OF DOORS | MAXIMUM FRAME O.D.           | ELECTRICAL         |
|--------------|----------------|----------------|-----------------|------------------------------|--------------------|
| DC-5259V-220 | 74.25" (188cm) | 50.25" (128cm) | Double Door     | 52.00 x 59.00" (132 x 150cm) | 220V, 1Ph, 50/60Hz |

\* Weight includes skid. Skid weights may vary and are subject to change.



*A Division of the AWT World Trade Group*



4321 N. Knox Ave.  
Chicago IL, 60641



773.777.7100



[dryingandstorageracks.com](http://dryingandstorageracks.com)



[sales@dryingandstorageracks.com](mailto:sales@dryingandstorageracks.com)